

**LED G25 GLOBE**  
G25 G2 SERIES



**PRODUCT DESCRIPTION:**

MaxLite LED G25 retrofit lamp is ideal for providing high-quality lighting for globe, vanity, and decorative fixtures throughout homes and hospitality applications. It consumes only 6 watts and replaces a 40-watt incandescent lamp, resulting in up to 85 percent savings in energy. This lamp has an average rated life of 25,000 hours and it is dimmable down to 10%.

**FEATURES:**

- Watts: 6
- Lumens: 450
- 25,000 hour life (L70)
- CRI: 82
- ENERGY STAR certified
- Five year warranty
- Dimmable down to 10 percent
- Suitable for damp locations
- Not for use in enclosed luminaires

**APPLICATION:**

- Vanity Strips
- Pendant Lighting
- Decorative

MODEL SELECTION		Typical order example: 6G25DLED27/G2	
<b>6</b>	<b>G25</b>	<b>DLED</b>	
<b>WATTAGE</b>	<b>FAMILY</b>	<b>DIMMABILITY</b>	<b>CCT &amp; QUANTITY PACK</b>
<b>6=</b> 6W	<b>G25=</b> LED Globe 25	<b>DLED=</b> Dimmable	<b>27/G2=</b> 2700K, 1 Pack <b>27/G2/3P=</b> 2700K, 3 Pack <b>27/G2/BP=</b> 2700K, Bulk Pack

**COMPATIBLE DIMMERS:**

MAKE	DIMMER MODEL	MAKE	DIMMER MODEL
Lutron	CTCL-153P	Leviton	IPL06
Lutron	DVCL-153P	Leviton	IPI10
Lutron	LGCL-153P	Leviton	6631-LW
Lutron	S-600	Leviton	6683-IW

**NOTES:**

1. Bulk pack comes in 24pcs

**SPECIFICATIONS:**

**6G25DLED27/G2**

ITEM	SPECIFICATION	DETAILS
<b>GENERAL PERFORMANCE</b>	Power Consumption	6W
	Delivered Lumens	450
	Efficacy (lm/W)	75
	Dimmable	Yes
	CRI	80
	Color Temperature (CCT)	2700K
	Lumen Maintenance (L70)	25,000 Hours
<b>ELECTRICAL</b>	Input Voltage	120V
<b>PHYSICAL</b>	Base Type	E26
	Operating Temperature	-4°F to 104°F
<b>CERTIFICATION</b>	Certification	ENERGY STAR, cULs, FCC, LM-79
	Environment	Damp locations
	Warranty	5 Year

**ORDERING:**

ORDER CODE	MODEL	WATTS	EQUIVALENCY	LUMENS	LAMP LIFE (HRS.)	DIMENSIONS (H" x W")	CCT
107505	6G25DLED27/G2	6	40W	450	25,000	4.45" x 3.51"	2700K
107506	6G25DLED27/G2/3P (3 PACK)	6	40W	450	25,000	4.45" x 3.51"	2700K
107588	6G25DLED27/G2/BP (Bulk Pack - 24pcs)	6	40W	450	25,000	4.45" x 3.51"	2700K