

LED OMNIDIRECTIONAL A-LAMP
OPEN & ENCLOSED RATED A19 GEN 2 JA8 SERIES



PRODUCT DESCRIPTION:

Designed to meet Title 24 code for the State of California, these JA8 LED A-lamps deliver even lighting equivalent to that of a 60W incandescent bulb, while consuming nearly 83 percent less energy. Open and enclosed rated models are available in two color temperatures.

FEATURES:

- Wattage: 10W, replacement for 60W Inc.
- Lumens: 800
- ENERGY STAR certified
- Supports Compliance of JA8-2016-E
- CEC Listed
- CRI: ≥92
- R9: ≥50
- Beam Angle: 300°
- Min. Dimming: ≤10%
- Saves more than 83% on energy
- Power factor: ≥ 0.90
- Tc Max = 100°C
- Suitable for use in damp locations
- Suitable for use in fully enclosed luminaires (E10A19DLED927/G2/JA8, E10A19DLED930/G2/JA8, E10A19GUD927/G2/JA8 & E10A19GUD930/G2/JA8)
- Five year limited warranty
- 25,000 hour life (L70 standards)

APPLICATIONS:

- Pendants
- Table and floor lamps
- Sconces

MODEL SELECTION (Full list of order codes on pg. 2)		Typical order example: 10A19DLED927/G2/JA8	
10A19	DLED		
FAMILY	BASE & DIMMABILITY	CRI & CCT	
10A19= 10 watts, Open Rated A19	DLED= E26, Dimmable	927/G2/JA8= 92 CRI, 2700K 930/G2/JA8= 92 CRI, 3000K	
E10A19	DLED		
FAMILY	BASE & DIMMABILITY	CRI & CCT	
E10A19= 10 watts, Enclosed Rated A19	DLED= E26, Dimmable	927/G2/JA8= 92 CRI, 2700K 930/G2/JA8= 92 CRI, 3000K	
E10A19	GUD		
FAMILY	BASE & DIMMABILITY	CRI & CCT	
E10A19= 10 watts, Enclosed Rated A19	GUD= GU24, Dimmable	927/G2/JA8= 92 CRI, 2700K 930/G2/JA8= 93 CRI, 3000K	

NOTES:

1. See page 3 for a list of compatible dimmers.

SPECIFICATIONS:

		10A19DLED9xx/G2/JA8	E10A19DLED9xx/G2/JA8	E10A19GUD9xx/G2/JA8
ITEM	SPECIFICATION	OPEN RATED - DETAILS		ENCLOSED RATED - DETAILS
GENERAL PERFORMANCE	Power Consumption	10W		
	Lumens Delivered	800		
	Efficacy (lm/w)	80		
	CRI	≥92		
	R9	≥50		
	Color Temperature (CCT)	2700K, 3000K		
	Lumen Maintenance (L70)	25,000 Hours		
ELECTRICAL	Power Factor	≥0.90		
	Input Voltage	120V		
PHYSICAL	Base Type	E26		GU24
	Operating Temperature	-4°F - 104°F		
CERTIFICATION	Environment	Dry, Damp		Dry, Damp, Enclosed
	Warranty	5 Year Limited		

ORDERING:

ORDER CODE	MODEL	ENERGY STAR	CCT	WATTS	EQUIVALENCY	OUTPUT (LUMENS)	EFFICACY (lm/W)	CRI	DIMENSIONS (D" x MOL")
OPEN RATED - E26 BASE MODEL									
1408959	10A19DLED927/G2/JA8	★	2700K	10	60W Inc.	800	80	92	2.36" x 4.30"
1409224	10A19DLED930/G2/JA8	★	3000K						
ENCLOSED RATED - E26 BASE MODEL									
1408960	E10A19DLED927/G2/JA8	★	2700K	10	60W Inc.	800	80	92	2.36" x 4.30"
1409192	E10A19DLED930/G2/JA8	★	3000K						
ENCLOSED RATED - GU24 BASE MODEL									
1409883	E10A19GUD927/G2/JA8	★	2700K	10	60W Inc.	800	80	92	2.36" x 4.21"
1409884	E10A19GUD930/G2/JA8	★	3000K					93	

★ ENERGY STAR Certified

COMPATIBLE DIMMER LIST:

MANUFACTURE	DIMMER MODEL
AH	SDM/600
	SDM3/1000
ALMOND	LUXDM600-12
CTL	DM600-12-3
GE	18024
LEVITON	6631
	6672
	6683
	603-6631-A

MANUFACTURE	DIMMER MODEL
LEVITON	6631-A
	6631-LA
	6683-10Z
	IPI06-1LZ
	IPI10-1LZ
	IPL06
LUTRON	AYCL-153P-WH
	AYCL-153PH
	DVCL-153P-WH

MANUFACTURE	DIMMER MODEL
LUTRON	DVWCL-153PH-WHC
	S-603PH-WH
	SCL-153PH-WH
	TGCL-153PH-WH
MAAXIMA	MEW-DM600